

YouGov / Eurotrack Survey Results

Sample Size: 2212 Adults in GB / 1000 Adults in France / 2016 Adults in Germany / 1010 Adults in Denmark / 1002 Adults in Sweden / 1053 Adults in Spain / 1031 Adults in Italy
Fieldwork: 5th - 24th September 2024

	Country						
	GB	France	Germany	Denmark	Sweden	Spain	Italy
Weighted Sample	2212	1000	2016	1010	1002	1053	1031
Unweighted Sample	2212	1000	2016	1010	1002	1053	1031
	%	%	%	%	%	%	%
	10 - 11 Sep	10 - 15 Sep	20 - 24 Sep	9 - 16 Sep	5 - 16 Sep	9 - 15 Sep	5 - 17 Sep

Do you suffer from any of the following mental health conditions?

Depression	18	11	16	8	18	10	8
Anxiety disorder	18	15	11	11	14	18	17
Something else	5	4	6	7	7	3	3
Don't know	4	5	4	4	6	6	6
N/A - I do not suffer from any mental health conditions	59	66	67	72	62	67	67
Prefer not to say	7	2	4	2	4	3	3
Refused	4	4	1	2	2	0	3

Generally speaking, do you consider mental health problems or physical health problems to be more serious, or are they equally serious?

Mental health problems are generally more serious than physical health problems	6	17	19	12	20	21	19
Physical health problems are generally more serious than mental health problems	15	9	10	8	12	7	9
They are equally serious	76	67	63	75	64	70	68
Don't know	3	7	8	6	4	2	4

And in general, do you think society currently considers mental health and physical health problems...

Equally important	18	28	30	19	18	31	28
Considers mental health problems more important	11	12	14	7	12	14	11
Considers physical health problems more important	59	36	37	59	50	49	44
Don't know	12	24	19	14	20	6	17

Sample Size: 2212 Adults in GB / 1000 Adults in France / 2016
 Adults in Germany / 1010 Adults in Denmark / 1002 Adults in
 Sweden / 1053 Adults in Spain / 1031 Adults in Italy
 Fieldwork: 5th - 24th September 2024

	Country						
	GB	France	Germany	Denmark	Sweden	Spain	Italy
Weighted Sample	2212	1000	2016	1010	1002	1053	1031
Unweighted Sample	2212	1000	2016	1010	1002	1053	1031
	%	%	%	%	%	%	%

Thinking about the following conditions and illnesses, how serious
 do you consider each to be?

Cancer

Very serious	89	71	70	78	84	81	85
Fairly serious	9	18	17	17	11	13	9
TOTAL SERIOUS	98	89	87	95	95	94	94
Not very serious	0	4	4	2	2	2	1
Not at all serious	0	2	2	1	1	1	1
TOTAL NOT SERIOUS	0	6	6	3	3	3	2
Don't know	1	4	6	2	1	2	3
Prefer not to say	1	1	2	1	1	0	1

Heart disease

Very serious	74	53	55	56	66	46	50
Fairly serious	23	37	31	38	27	45	41
TOTAL SERIOUS	97	90	86	94	93	91	91
Not very serious	1	3	5	2	3	4	4
Not at all serious	0	2	3	1	1	1	1
TOTAL NOT SERIOUS	1	5	8	3	4	5	5
Don't know	1	4	5	2	2	3	3
Prefer not to say	0	1	2	1	1	0	1

Arthritis

Very serious	21	11	17	9	9	10	15
Fairly serious	58	52	46	23	35	49	53
TOTAL SERIOUS	79	63	63	32	44	59	68
Not very serious	17	27	21	13	29	33	24
Not at all serious	1	4	4	1	3	3	3
TOTAL NOT SERIOUS	18	31	25	14	32	36	27
Don't know	2	6	11	51	22	4	4
Prefer not to say	1	1	2	2	1	0	1

Asthma

Very serious	26	15	22	8	14	9	12
Fairly serious	51	50	48	44	46	44	49
TOTAL SERIOUS	77	65	70	52	60	53	61
Not very serious	18	25	17	37	30	38	31
Not at all serious	2	3	4	6	4	5	3
TOTAL NOT SERIOUS	20	28	21	43	34	43	34
Don't know	2	5	7	3	4	3	4
Prefer not to say	1	1	2	1	1	1	1

Sample Size: 2212 Adults in GB / 1000 Adults in France / 2016
 Adults in Germany / 1010 Adults in Denmark / 1002 Adults in
 Sweden / 1053 Adults in Spain / 1031 Adults in Italy
 Fieldwork: 5th - 24th September 2024

		Country						
		GB	France	Germany	Denmark	Sweden	Spain	Italy
Weighted Sample		2212	1000	2016	1010	1002	1053	1031
Unweighted Sample		2212	1000	2016	1010	1002	1053	1031
		%	%	%	%	%	%	%
Peanut allergy								
	Very serious	48	11	13	8	27	9	10
	Fairly serious	32	31	28	24	34	28	28
	TOTAL SERIOUS	80	42	41	32	61	37	38
	Not very serious	12	33	30	38	23	37	36
	Not at all serious	3	14	14	18	8	15	14
	TOTAL NOT SERIOUS	15	47	44	56	31	52	50
	Don't know	4	10	12	12	8	11	11
	Prefer not to say	1	0	2	1	1	1	1
Chlamydia								
	Very serious	10	11	11	4	8	7	6
	Fairly serious	34	30	25	21	26	27	25
	TOTAL SERIOUS	44	41	36	25	34	34	31
	Not very serious	35	19	24	49	43	31	23
	Not at all serious	6	4	6	17	13	6	5
	TOTAL NOT SERIOUS	41	23	30	66	56	37	28
	Don't know	13	34	30	7	9	28	38
	Prefer not to say	1	2	3	1	1	1	2
Diabetes								
	Very serious	37	30	27	15	32	17	28
	Fairly serious	51	49	46	54	47	53	52
	TOTAL SERIOUS	88	79	73	69	79	70	80
	Not very serious	9	13	16	24	15	24	14
	Not at all serious	1	2	3	3	2	3	2
	TOTAL NOT SERIOUS	10	15	19	27	17	27	16
	Don't know	2	5	6	3	3	3	3
	Prefer not to say	1	1	2	1	1	1	1
HIV								
	Very serious	42	51	38	20	36	33	49
	Fairly serious	39	34	33	39	36	44	36
	TOTAL SERIOUS	81	85	71	59	72	77	85
	Not very serious	12	7	15	29	18	16	7
	Not at all serious	2	2	5	6	4	3	2
	TOTAL NOT SERIOUS	14	9	20	35	22	19	9
	Don't know	5	5	7	6	6	4	4
	Prefer not to say	1	1	2	1	1	1	1
Post-traumatic stress disorder (PTSD)								
	Very serious	41	24	32	37	34	17	22
	Fairly serious	47	48	41	50	45	54	48
	TOTAL SERIOUS	88	72	73	87	79	71	70
	Not very serious	7	15	11	8	9	17	17
	Not at all serious	1	2	4	2	3	3	2
	TOTAL NOT SERIOUS	8	17	15	10	12	20	19
	Don't know	4	11	10	4	8	8	9
	Prefer not to say	1	1	2	1	1	0	1

Sample Size: 2212 Adults in GB / 1000 Adults in France / 2016
 Adults in Germany / 1010 Adults in Denmark / 1002 Adults in
 Sweden / 1053 Adults in Spain / 1031 Adults in Italy
 Fieldwork: 5th - 24th September 2024

	Country						
	GB	France	Germany	Denmark	Sweden	Spain	Italy
Weighted Sample	2212	1000	2016	1010	1002	1053	1031
Unweighted Sample	2212	1000	2016	1010	1002	1053	1031
	%	%	%	%	%	%	%
Bipolar disorder (previously known as manic depression)							
Very serious	40	32	35	26	31	37	41
Fairly serious	46	47	41	54	47	46	41
TOTAL SERIOUS	86	79	76	80	78	83	82
Not very serious	7	10	9	10	11	10	8
Not at all serious	1	2	4	1	3	1	2
TOTAL NOT SERIOUS	8	12	13	11	14	11	10
Don't know	5	7	10	8	7	4	6
Prefer not to say	1	1	2	1	1	1	1
Eating disorders (such as anorexia and bulimia)							
Very serious	41	29	29	35	42	38	37
Fairly serious	42	48	39	49	41	47	46
TOTAL SERIOUS	83	77	68	84	83	85	83
Not very serious	11	13	16	10	10	10	11
Not at all serious	2	3	6	2	3	1	2
TOTAL NOT SERIOUS	13	16	22	12	13	11	13
Don't know	3	6	8	4	4	3	4
Prefer not to say	1	1	2	1	1	1	1
Dementia and Alzheimer's disease							
Very serious	72	56	53	56	59	63	66
Fairly serious	23	32	32	34	31	29	25
TOTAL SERIOUS	95	88	85	90	90	92	91
Not very serious	2	6	4	5	5	5	3
Not at all serious	0	2	3	1	1	1	2
TOTAL NOT SERIOUS	2	8	7	6	6	6	5
Don't know	2	4	6	3	3	2	3
Prefer not to say	1	1	2	1	1	1	1
Substance abuse (addiction to drugs and alcohol)							
Very serious	50	46	47	44	52	49	61
Fairly serious	38	37	33	44	36	41	28
TOTAL SERIOUS	88	83	80	88	88	90	89
Not very serious	6	8	7	6	7	6	5
Not at all serious	2	3	5	2	2	1	2
TOTAL NOT SERIOUS	8	11	12	8	9	7	7
Don't know	3	5	7	3	3	3	3
Prefer not to say	1	1	2	1	1	1	1

Sample Size: 2212 Adults in GB / 1000 Adults in France / 2016
 Adults in Germany / 1010 Adults in Denmark / 1002 Adults in
 Sweden / 1053 Adults in Spain / 1031 Adults in Italy
 Fieldwork: 5th - 24th September 2024

		Country						
		GB	France	Germany	Denmark	Sweden	Spain	Italy
Weighted Sample		2212	1000	2016	1010	1002	1053	1031
Unweighted Sample		2212	1000	2016	1010	1002	1053	1031
		%	%	%	%	%	%	%
Depression								
	Very serious	38	31	44	28	40	40	49
	Fairly serious	49	49	36	57	45	45	40
	TOTAL SERIOUS	87	80	80	85	85	85	89
	Not very serious	8	10	8	10	10	10	5
	Not at all serious	2	3	3	1	2	1	2
	TOTAL NOT SERIOUS	10	13	11	11	12	11	7
	Don't know	2	6	6	3	3	2	3
	Prefer not to say	1	1	2	1	1	1	1
Anxiety								
	Very serious	19	13	30	20	24	18	17
	Fairly serious	52	47	46	59	50	54	51
	TOTAL SERIOUS	71	60	76	79	74	72	68
	Not very serious	22	29	11	14	17	22	23
	Not at all serious	4	4	4	2	3	3	3
	TOTAL NOT SERIOUS	26	33	15	16	20	25	26
	Don't know	3	5	8	3	5	2	5
	Prefer not to say	1	1	2	1	1	0	1
Schizophrenia								
	Very serious	61	53	44	43	51	57	59
	Fairly serious	29	31	32	44	31	34	30
	TOTAL SERIOUS	90	84	76	87	82	91	89
	Not very serious	3	6	10	7	7	5	4
	Not at all serious	1	2	3	1	2	1	1
	TOTAL NOT SERIOUS	4	8	13	8	9	6	5
	Don't know	6	8	9	5	8	3	5
	Prefer not to say	1	1	1	1	1	1	1