

YouGov Results: Healthcare Professionals

Fieldwork Dates: 27th February - 16th March 2020

Sample: 1,012 UK healthcare professionals



| Total | Sector | | In the NHS how would you describe your occupational group? Hover over each for more detail. | | | | | | | | | | |
|-------|---------------------|----------------|---|--------------------|-----------|------------------------------------|--|--------------------------------|----------------------------------|-------------|--|--------------------------|--------------------------|
| | NHS (Public sector) | Private Sector | Allied Health Professionals / Healthcare Scientists / Scientific and | Medical and Dental | Ambulance | Public Health / Health Improvement | Commissioning managers / support staff | Registered Nurses and Midwives | Nursing or Healthcare Assistants | Social Care | Wider Healthcare Team (inc. admin & clinical HR) | Other General Management | Other occupational group |
| | A | B | C | D | E | F | G | H | I | J | K | L | M |

How often, if ever, do you encounter patients who have researched their symptoms before speaking to you or another medical professional?

| | | | | | | | | | | | | | | |
|---|-----|-----|-----|-----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|----------------|-----------|-----------|
| Unweighted base | 849 | 606 | 243 | 141 | 56 | 15 | 6 | 5 | 194 | 56 | 5 | 103 | 11 | 14 |
| Base | 846 | 604 | 241 | 143 | 54 | 16 | 5 | 4 | 199 | 46 | 4 | 108 | 10 | 14 |
| All the time | 16% | 15% | 18% | 15% | 20% K* | 7% ** | 17% ** | - ** | 20% K | 21% K* | 20% ** | 7% * | - ** | 7% ** |
| Often | 42% | 44% | 37% | 42% | 48% * | 40% ** | 33% ** | 20% ** | 48% K | 46% * | 20% ** | 36% * | 45% ** | 57% ** |
| Sometimes | 26% | 25% | 27% | 29% | 25% * | 40% ** | 33% ** | 60% ** | 24% * | 23% * | - ** | 25% * | 9% ** | 7% ** |
| Rarely | 6% | 5% | 7% | 5% | 4% * | 13% ** | - ** | - ** | 5% * | 4% * | - ** | 6% * | 18% ** | - ** |
| Never | 1% | 1% | 2% | 1% | - * | - ** | 17% ** | - ** | 1% * | - * | - ** | 1% * | - ** | - ** |
| Don't know | 2% | 2% | 1% | - | 4% C* | - ** | - ** | - ** | 1% * | 4% C* | 40% ** | 3% C | - ** | 7% ** |
| Not applicable | 8% | 8% | 7% | 8% D.H | - * | - ** | - ** | 20% ** | 2% * | 2% ** | 20% ** | 22% C.D.H.I | 27% ** | 21% ** |
| Net: All the time or often or sometimes | 84% | 85% | 82% | 86% K | 93% K* | 87% ** | 83% ** | 80% ** | 92% K | 91% K* | 40% ** | 68% * | 55% ** | 71% ** |

What forms of research have patients done on their symptoms before coming to see you? Please tick all that apply.

| | | | | | | | | | | | | | | |
|--|-----|----------|---------|-------------|-----------|-----------|------------|-----------|----------|----------|------------|----------|-----------|------------|
| Unweighted base | 760 | 543 | 217 | 128 | 54 | 15 | 5 | 4 | 188 | 53 | 2 | 76 | 8 | 10 |
| Base | 757 | 541 | 215 | 130 | 52 | 16 | 4 | 3 | 193 | 44 | 2 | 80 | 7 | 10 |
| Internet-based research | 92% | 94% B | 88% | 95% I | 94% * | 87% ** | 100% ** | 75% ** | 97% I | 87% * | 100% ** | 92% * | 75% ** | 100% ** |
| Research through books, journals etc. | 15% | 14% | 15% | 14% | 13% * | 20% ** | 40% ** | 25% ** | 17% * | 15% * | - ** | 8% * | 13% ** | 10% ** |
| Data collection using apps/fitness tracking technology | 13% | 14% | 13% | 10% C.H* | 24% ** | 13% ** | - ** | 50% ** | 13% * | 19% * | - ** | 14% * | - ** | - ** |
| Genetic testing done at home | 2% | 2% | 4% | - | 2% * | 7% ** | - ** | - ** | 3% C | 4% C* | - ** | - * | - ** | - ** |
| Other | 5% | 5% | 5% | 4% | 4% * | 7% ** | - ** | - ** | 6% K* | 9% K* | - ** | 1% * | - ** | - ** |
| Don't know | 4% | 3% | 7% A | 4% H | 4% H* | 13% ** | - ** | - ** | - H* | 2% ** | - ** | 8% H* | 25% ** | - ** |

YouGov Results: Healthcare Professionals

Fieldwork Dates: 27th February - 16th March 2020

Sample: 1,012 UK healthcare professionals



| Total | Organisation type 1 | | | | | | | Role | |
|-------|---------------------|--------------------------|---------------------------|-------------------------------|-----------|--------------------------------------|-------|----------------|---------------------|
| | NHS hospital | Private hospital/ clinic | GP surgery/ health centre | Mental health trust / service | Care home | Community services / Local Authority | Other | Patient facing | Non- Patient facing |
| | N | O | P | Q | R | S | T | U | V |

How often, if ever, do you encounter patients who have researched their symptoms before speaking to you or another medical professional?

| | | | | | | | | | | |
|---|-----|----------|------|--------|-----|--------------|-----|-----|-----|----|
| Unweighted base | 849 | 359 | 63 | 83 | 68 | 46 | 102 | 128 | 849 | - |
| Base | 846 | 358 | 63 | 82 | 68 | 46 | 101 | 128 | 846 | - |
| All the time | 16% | 16% | 24% | 11% | 7% | 22% | 21% | 14% | 16% | - |
| | Q | P.Q* | * | * | * | Q* | Q | | | ** |
| Often | 42% | 44% | 30% | 47% | 55% | 31% | 31% | 45% | 42% | - |
| | O.S | * | O.S* | O.R.S* | * | * | O.S | | | ** |
| Sometimes | 26% | 24% | 40% | 33% | 22% | 11% | 30% | 24% | 26% | - |
| | | N.Q.R.T* | R* | * | * | * | R | | | ** |
| Rarely | 6% | 5% | 3% | 4% | 6% | 9% | 11% | 6% | 6% | - |
| | | * | * | * | * | * | N | | | ** |
| Never | 1% | 1% | - | - | 2% | 7% | 1% | 1% | 1% | - |
| | | * | * | * | * | N.O.P.T* | | | | ** |
| Don't know | 2% | 1% | 2% | 3% | 3% | 2% | 2% | 2% | 2% | - |
| | | | * | * | * | * | | | | ** |
| Not applicable | 8% | 9% | 2% | 3% | 6% | 20% | 5% | 8% | 8% | - |
| | | O.P | * | * | * | N.O.P.Q.S.T* | | | | ** |
| Net: All the time or often or sometimes | 84% | 84% | 91% | 84% | 63% | 82% | 84% | 84% | 84% | - |
| | R | N.R.S* | R* | R* | * | R | R | | | ** |

What forms of research have patients done on their symptoms before coming to see you? Please tick all that apply.

| | | | | | | | | | | |
|--|-----|-----|-----|------|-----|--------|-----|-----|-----|----|
| Unweighted base | 760 | 318 | 61 | 79 | 61 | 33 | 94 | 114 | 760 | - |
| Base | 757 | 316 | 61 | 78 | 61 | 33 | 93 | 114 | 757 | - |
| Internet-based research | 92% | 94% | 94% | 96% | 95% | 79% | 87% | 91% | 92% | - |
| | | R.S | R* | R.S* | R* | * | * | R | | ** |
| Research through books, journals etc. | 15% | 15% | 15% | 10% | 15% | 18% | 17% | 13% | 15% | - |
| | | * | * | * | * | * | * | | | ** |
| Data collection using apps/fitness tracking technology | 13% | 15% | 15% | 15% | 8% | 12% | 9% | 13% | 13% | - |
| | | * | * | * | * | * | * | | | ** |
| Genetic testing done at home | 2% | 2% | 3% | 4% | - | 3% | 2% | 4% | 2% | - |
| | | * | * | * | * | * | * | | | ** |
| Other | 5% | 5% | 3% | 4% | 3% | - | 8% | 6% | 5% | - |
| | | * | * | * | * | * | * | | | ** |
| Don't know | 4% | 3% | 5% | 1% | 3% | 15% | 8% | 5% | 4% | - |
| | | * | * | * | * | N.P.Q* | * | | | ** |

YouGov Results: Healthcare Professionals

Fieldwork Dates: 27th February - 16th March 2020

Sample: 1,012 UK healthcare professionals



| Total | Tenure in current organisation | | | Gender | | Region | | | | | | | |
|-------|--------------------------------|------------|--------------------|--------|--------|--------|----------|------|--------|-------|-------|----------|------------------|
| | Up to 5 years | 5-15 years | More than 15 years | Male | Female | North | Midlands | East | London | South | Wales | Scotland | Northern Ireland |
| | W | X | Y | Z | AA | AB | AC | AD | AE | AF | AG | AH | AI |

How often, if ever, do you encounter patients who have researched their symptoms before speaking to you or another medical professional?

| | | | | | | | | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Unweighted base | 849 | 290 | 288 | 271 | 214 | 635 | 240 | 139 | 61 | 62 | 204 | 42 | 78 | 23 |
| Base | 846 | 287 | 289 | 270 | 212 | 634 | 239 | 139 | 60 | 61 | 203 | 42 | 79 | 22 |
| All the time | 16% | 15% | 14% | 19% | 8% | 19% | 18% | 12% | 16% | 16% | 15% | 14% | 19% | 21% |
| | | | | | Z | | | | * | * | | * | * | ** |
| Often | 42% | 43% | 41% | 41% | 42% | 42% | 47% | 41% | 28% | 43% | 41% | 38% | 44% | 35% |
| | | | | | | | AD | | * | * | | * | * | ** |
| Sometimes | 26% | 24% | 27% | 27% | 30% | 25% | 20% | 30% | 31% | 28% | 30% | 29% | 22% | 22% |
| | | | | | | | AB | | * | * | AB | * | * | ** |
| Rarely | 6% | 6% | 6% | 6% | 6% | 6% | 8% | 4% | 10% | 1% | 4% | 9% | 7% | - |
| | | | | | | | | | AE* | * | | * | * | ** |
| Never | 1% | 1% | 2% | 0% | 2% | 1% | 0% | 1% | 3% | 2% | 2% | - | 1% | - |
| | | | | | | | | | AB* | * | | * | * | ** |
| Don't know | 2% | 2% | 2% | 2% | 3% | 1% | 1% | 1% | - | 1% | 3% | 2% | - | 9% |
| | | | | | | | | | * | * | | * | * | ** |
| Not applicable | 8% | 9% | 9% | 5% | 10% | 7% | 6% | 11% | 12% | 8% | 5% | 7% | 8% | 13% |
| | | | | | | | AF | | * | * | | * | * | ** |
| Net: All the time or often or sometimes | 84% | 82% | 82% | 87% | 80% | 85% | 85% | 83% | 75% | 87% | 86% | 81% | 84% | 78% |
| | | | | | | | | | * | * | AD | * | * | ** |

What forms of research have patients done on their symptoms before coming to see you? Please tick all that apply.

| | | | | | | | | | | | | | | |
|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------|-----|--------|-----|------|
| Unweighted base | 760 | 256 | 252 | 252 | 183 | 577 | 221 | 122 | 52 | 55 | 183 | 38 | 71 | 18 |
| Base | 757 | 253 | 253 | 251 | 181 | 576 | 221 | 121 | 51 | 54 | 183 | 38 | 71 | 17 |
| Internet-based research | 92% | 91% | 93% | 93% | 92% | 92% | 92% | 92% | 89% | 93% | 95% | 92% | 89% | 100% |
| | | | | | | | | | * | * | | * | * | ** |
| Research through books, journals etc. | 15% | 15% | 14% | 16% | 21% | 13% | 11% | 16% | 8% | 22% | 16% | 14% | 20% | 22% |
| | | | | | AA | | | | * | AB,AD* | | * | * | ** |
| Data collection using apps/fitness tracking technology | 13% | 11% | 13% | 16% | 17% | 12% | 11% | 18% | 9% | 13% | 11% | 24% | 17% | 11% |
| | | | | | | | | | * | * | | AB,AF* | * | ** |
| Genetic testing done at home | 2% | 2% | 3% | 3% | 2% | 3% | 3% | 4% | - | 2% | 2% | 6% | 1% | 6% |
| | | | | | | | | | * | * | | * | * | ** |
| Other | 5% | 4% | 6% | 5% | 4% | 5% | 6% | 4% | 2% | 2% | 5% | 5% | 5% | 5% |
| | | | | | | | | | * | * | | * | * | ** |
| Don't know | 4% | 6% | 4% | 3% | 4% | 5% | 5% | 3% | 10% | 5% | 3% | 5% | 6% | - |
| | | Y | | | | | | | AF* | * | | * | * | ** |

YouGov Results: Healthcare Professionals

Fieldwork Dates: 27th February - 16th March 2020
Sample: 1,012 UK healthcare professionals



| Total | Age | | | |
|-------|----------|----------|----------|------|
| | 18 to 34 | 35 to 44 | 45 to 54 | 55 + |
| | AJ | AK | AL | AM |

How often, if ever, do you encounter patients who have researched their symptoms before speaking to you or another medical professional?

| | | | | | |
|---|-----|-----|-----|-----|-----|
| Unweighted base | 849 | 120 | 180 | 243 | 306 |
| Base | 846 | 119 | 179 | 241 | 306 |
| All the time | 16% | 17% | 21% | 14% | 14% |
| Often | 42% | 49% | 43% | 40% | 40% |
| Sometimes | 26% | 19% | 22% | 31% | 27% |
| Rarely | 6% | 4% | 5% | 4% | 8% |
| Never | 1% | 3% | 1% | 2% | 0% |
| Don't know | 2% | 1% | 3% | 2% | 1% |
| Not applicable | 8% | 7% | 5% | 8% | 10% |
| Net: All the time or often or sometimes | 84% | 86% | 86% | 85% | 81% |

What forms of research have patients done on their symptoms before coming to see you? Please tick all that apply.

| | | | | | |
|--|-----|-----|-----|-----|-----|
| Unweighted base | 760 | 108 | 164 | 217 | 271 |
| Base | 757 | 107 | 164 | 215 | 271 |
| Internet-based research | 92% | 93% | 92% | 93% | 92% |
| Research through books, journals etc. | 15% | 15% | 14% | 12% | 17% |
| Data collection using apps/fitness tracking technology | 13% | 12% | 14% | 13% | 14% |
| Genetic testing done at home | 2% | 2% | 4% | 1% | 3% |
| Other | 5% | 3% | 2% | 6% | 7% |
| Don't know | 4% | 5% | 2% | 4% | 6% |

YouGov Results: Healthcare Professionals

Fieldwork Dates: 27th February - 16th March 2020

Sample: 1,012 UK healthcare professionals



| Total | Sector | | In the NHS how would you describe your occupational group? Hover over each for more detail. | | | | | | | | | | |
|-------|---------------------|----------------|---|--------------------|-----------|------------------------------------|--|--------------------------------|----------------------------------|-------------|--|--------------------------|--------------------------|
| | NHS (Public sector) | Private Sector | Allied Health Professionals / Healthcare Scientists / Scientific and | Medical and Dental | Ambulance | Public Health / Health Improvement | Commissioning managers / support staff | Registered Nurses and Midwives | Nursing or Healthcare Assistants | Social Care | Wider Healthcare Team (inc. admin & clinical HR) | Other General Management | Other occupational group |
| | A | B | C | D | E | F | G | H | I | J | K | L | M |

How often, if ever, do patients disagree with you on the following?

A diagnosis you have made of them

| | | | | | | | | | | | | | | |
|-------------------------|-----|-----|-----|-----|------|-----|-----|-----|-----|--------|-----|---------|-----|-----|
| Unweighted base | 849 | 606 | 243 | 141 | 56 | 15 | 6 | 5 | 194 | 56 | 5 | 103 | 11 | 14 |
| Base | 846 | 604 | 241 | 143 | 54 | 16 | 5 | 4 | 199 | 46 | 4 | 108 | 10 | 14 |
| Often | 3% | 3% | 4% | 1% | 2% | - | 17% | - | 5% | 11% | - | 1% | - | 7% |
| | | | | | * | ** | ** | ** | C | C.D.K* | ** | | ** | ** |
| Sometimes | 18% | 18% | 17% | 15% | 30% | 20% | 17% | - | 24% | 34% | 20% | 3% | 9% | 7% |
| | | | | K | C.K* | ** | ** | ** | C.K | C.K* | ** | | ** | ** |
| Rarely | 27% | 26% | 31% | 35% | 39% | 33% | 33% | - | 31% | 18% | 20% | 6% | 9% | - |
| | | | | I.K | I.K* | ** | ** | | K | K* | ** | | ** | ** |
| Never | 6% | 5% | 7% | 7% | 2% | 7% | 17% | 20% | 6% | 9% | - | 1% | - | 7% |
| | | | | K | * | ** | ** | ** | K | K* | ** | | ** | ** |
| Don't know | 2% | 1% | 2% | 2% | 4% | - | - | - | 1% | 2% | 20% | - | - | - |
| | | | | K* | * | | ** | ** | * | * | ** | | ** | ** |
| Not applicable to me | 44% | 46% | 39% | 40% | 23% | 40% | 17% | 80% | 34% | 27% | 40% | 89% | 82% | 79% |
| | | | | D | * | ** | ** | ** | * | * | ** | C.D.H.I | ** | ** |
| Net: often or sometimes | 22% | 22% | 21% | 16% | 32% | 20% | 33% | - | 29% | 45% | 20% | 4% | 9% | 14% |
| | | | | K | C.K* | ** | ** | ** | C.K | C.H.K* | ** | | ** | ** |

A prescription you have given them

| | | | | | | | | | | | | | | |
|-------------------------|-----|-----|-----|-------|----------|-----|-----|-----|-----|----------|-----|-------|-----|-----|
| Unweighted base | 849 | 606 | 243 | 141 | 56 | 15 | 6 | 5 | 194 | 56 | 5 | 103 | 11 | 14 |
| Base | 846 | 604 | 241 | 143 | 54 | 16 | 5 | 4 | 199 | 46 | 4 | 108 | 10 | 14 |
| Often | 2% | 3% | 2% | - | - | - | 17% | - | 4% | 11% | - | 2% | - | - |
| | | | | | * | ** | ** | ** | C | C.D.H.K* | ** | | ** | ** |
| Sometimes | 10% | 10% | 10% | 4% | 23% | - | - | - | 14% | 14% | - | 4% | 18% | 21% |
| | | | | | C.K* | ** | ** | ** | C.K | C.K* | ** | | ** | ** |
| Rarely | 18% | 18% | 17% | 9% | 45% | 13% | 17% | - | 27% | 21% | 20% | 5% | - | 7% |
| | | | | | C.H.I.K* | ** | ** | ** | C.K | C.K* | ** | | ** | ** |
| Never | 7% | 7% | 8% | 5% | 2% | 7% | 17% | 20% | 11% | 14% | - | 1% | - | 14% |
| | | | | * | * | ** | ** | ** | D.K | C.D.K* | ** | | ** | ** |
| Don't know | 1% | 1% | 1% | 3% | 2% | - | - | - | 1% | 2% | 20% | - | - | - |
| | | | | * | * | ** | ** | ** | * | * | ** | | ** | ** |
| Not applicable to me | 61% | 61% | 61% | 80% | 29% | 80% | 50% | 80% | 43% | 38% | 60% | 88% | 82% | 57% |
| | | | | D.H.I | * | ** | ** | ** | D | * | ** | D.H.I | ** | ** |
| Net: often or sometimes | 13% | 13% | 13% | 4% | 23% | - | 17% | - | 18% | 25% | - | 6% | 18% | 21% |
| | | | | C.K* | C.K* | ** | ** | ** | C.K | C.K* | ** | | ** | ** |

YouGov Results: Healthcare Professionals

Fieldwork Dates: 27th February - 16th March 2020
Sample: 1,012 UK healthcare professionals



| Total | Organisation type 1 | | | | | | | Role | |
|-------|---------------------|--------------------------|---------------------------|-------------------------------|-----------|--------------------------------------|-------|----------------|---------------------|
| | NHS hospital | Private hospital/ clinic | GP surgery/ health centre | Mental health trust / service | Care home | Community services / Local Authority | Other | Patient facing | Non- Patient facing |
| | N | O | P | Q | R | S | T | U | V |

How often, if ever, do patients disagree with you on the following?

A diagnosis you have made of them

| | | | | | | | | | | |
|-------------------------|-----|-----|----------|------|-----|------|-----|-----|-----|----|
| Unweighted base | 849 | 359 | 63 | 83 | 68 | 46 | 102 | 128 | 849 | - |
| Base | 846 | 358 | 63 | 82 | 68 | 46 | 101 | 128 | 846 | - |
| Often | 3% | 3% | 3% | 5% | 4% | 7% | 4% | 2% | 3% | - |
| | | | * | * | * | * | | | | ** |
| Sometimes | 18% | 19% | 17% | 14% | 19% | 20% | 16% | 19% | 18% | - |
| | | | * | * | * | * | | | | ** |
| Rarely | 27% | 24% | 32% | 23% | 31% | 15% | 35% | 32% | 27% | - |
| | | | R* | * | * | * | N.R | R | | ** |
| Never | 6% | 5% | 14% | 3% | 4% | 2% | 5% | 9% | 6% | - |
| | | | N.P.R.S* | * | * | * | | | | ** |
| Don't know | 2% | 1% | 5% | 2% | - | 2% | 1% | 1% | 2% | - |
| | | | * | * | * | * | | | | ** |
| Not applicable to me | 44% | 47% | 29% | 53% | 41% | 54% | 40% | 37% | 44% | - |
| | | | O | O.T* | * | O.T* | | | | ** |
| Net: often or sometimes | 22% | 22% | 20% | 19% | 23% | 26% | 19% | 21% | 22% | - |
| | | | * | * | * | * | | | | ** |

A prescription you have given them

| | | | | | | | | | | |
|-------------------------|-----|-----|-----|-----|-----|-----|-------|-----|-----|----|
| Unweighted base | 849 | 359 | 63 | 83 | 68 | 46 | 102 | 128 | 849 | - |
| Base | 846 | 358 | 63 | 82 | 68 | 46 | 101 | 128 | 846 | - |
| Often | 2% | 3% | - | 4% | 2% | 2% | 3% | 2% | 2% | - |
| | | | * | * | * | * | | | | ** |
| Sometimes | 10% | 11% | 10% | 14% | 14% | 15% | 3% | 9% | 10% | - |
| | | | S | S* | S* | S* | | | | ** |
| Rarely | 18% | 19% | 21% | 19% | 14% | 7% | 15% | 22% | 18% | - |
| | | | R | R* | * | * | | R | | ** |
| Never | 7% | 8% | 8% | 7% | 2% | 4% | 6% | 12% | 7% | - |
| | | | * | * | * | * | | Q | | ** |
| Don't know | 1% | 1% | 2% | 2% | 2% | 2% | 1% | - | 1% | - |
| | | | * | * | * | * | | | | ** |
| Not applicable to me | 61% | 58% | 60% | 54% | 66% | 70% | 72% | 56% | 61% | - |
| | | | * | * | * | * | N.P.T | | | ** |
| Net: often or sometimes | 13% | 14% | 10% | 17% | 15% | 17% | 6% | 11% | 13% | - |
| | | | S | S* | S* | S* | | | | ** |

YouGov Results: Healthcare Professionals

Fieldwork Dates: 27th February - 16th March 2020

Sample: 1,012 UK healthcare professionals



| Total | Tenure in current organisation | | | Gender | | Region | | | | | | | |
|-------|--------------------------------|------------|--------------------|--------|--------|--------|----------|------|--------|-------|-------|----------|------------------|
| | Up to 5 years | 5-15 years | More than 15 years | Male | Female | North | Midlands | East | London | South | Wales | Scotland | Northern Ireland |
| | W | X | Y | Z | AA | AB | AC | AD | AE | AF | AG | AH | AI |

How often, if ever, do patients disagree with you on the following?

A diagnosis you have made of them

| | | | | | | | | | | | | | | |
|-------------------------|-----|-----|-----|-----|-----|-----|-----|-------|-----|--------|-----|-----|-----|-----|
| Unweighted base | 849 | 290 | 288 | 271 | 214 | 635 | 240 | 139 | 61 | 62 | 204 | 42 | 78 | 23 |
| Base | 846 | 287 | 289 | 270 | 212 | 634 | 239 | 139 | 60 | 61 | 203 | 42 | 79 | 22 |
| Often | 3% | 4% | 2% | 5% | 3% | 3% | 4% | 3% | 4% | * | 3% | 7% | 1% | 8% |
| | | | | X | | | | | * | * | | AE* | * | ** |
| Sometimes | 18% | 19% | 16% | 20% | 16% | 19% | 19% | 21% | 20% | 22% | 19% | 8% | 10% | 16% |
| | | | | | | | | AG,AH | * | * | | * | * | ** |
| Rarely | 27% | 26% | 26% | 29% | 32% | 25% | 26% | 19% | 27% | 39% | 30% | 35% | 24% | 27% |
| | | | | | AA | | | | * | AB,AC* | AC | AC* | * | ** |
| Never | 6% | 6% | 7% | 4% | 8% | 5% | 7% | 5% | 5% | 5% | 3% | 7% | 11% | 5% |
| | | | | | | | AF | | * | * | | * | AF* | ** |
| Don't know | 2% | 1% | 1% | 3% | 1% | 2% | 0% | 1% | 3% | 2% | 1% | 2% | 2% | 4% |
| | | | | | | | | | AB* | * | | * | * | ** |
| Not applicable to me | 44% | 45% | 48% | 39% | 40% | 45% | 43% | 50% | 40% | 32% | 44% | 41% | 50% | 40% |
| | | | Y | | | | | AE | * | * | | * | AE* | ** |
| Net: often or sometimes | 22% | 23% | 17% | 25% | 19% | 23% | 23% | 24% | 25% | 22% | 21% | 15% | 12% | 25% |
| | | | | X | | | AH | AH | AH* | * | | * | * | ** |

A prescription you have given them

| | | | | | | | | | | | | | | |
|-------------------------|-----|-----|-----|-----|-----|-----|-----|----------|--------|--------------|-----|-----|-----|-----|
| Unweighted base | 849 | 290 | 288 | 271 | 214 | 635 | 240 | 139 | 61 | 62 | 204 | 42 | 78 | 23 |
| Base | 846 | 287 | 289 | 270 | 212 | 634 | 239 | 139 | 60 | 61 | 203 | 42 | 79 | 22 |
| Often | 2% | 3% | 1% | 4% | 2% | 3% | 4% | - | 6% | 3% | 1% | 5% | 1% | 8% |
| | | | | | | | AC | | AC,AF* | AC* | | AC* | * | ** |
| Sometimes | 10% | 11% | 7% | 13% | 10% | 10% | 13% | 10% | 9% | 8% | 10% | 7% | 7% | 13% |
| | | | | X | | | | | * | * | | * | * | ** |
| Rarely | 18% | 16% | 14% | 25% | 20% | 17% | 16% | 14% | 20% | 32% | 18% | 28% | 17% | 9% |
| | | | | W,X | | | | | * | AB,AC,AF,AH* | | AC* | * | ** |
| Never | 7% | 7% | 11% | 4% | 10% | 7% | 9% | 6% | 7% | 7% | 4% | 4% | 10% | 17% |
| | | | Y | | | | AF | | * | * | | * | * | ** |
| Don't know | 1% | 1% | 1% | 1% | 1% | 1% | 1% | - | 5% | 2% | 2% | - | - | 4% |
| | | | | | | | | | AB,AC* | * | | * | * | ** |
| Not applicable to me | 61% | 62% | 66% | 53% | 57% | 62% | 57% | 69% | 54% | 49% | 64% | 55% | 66% | 48% |
| | | Y | Y | | | | | AB,AD,AE | * | * | AE | * | AE* | ** |
| Net: often or sometimes | 13% | 14% | 8% | 17% | 12% | 13% | 16% | 10% | 15% | 11% | 11% | 12% | 8% | 21% |
| | | X | | X | | | | | * | * | | * | * | ** |

YouGov Results: Healthcare Professionals

Fieldwork Dates: 27th February - 16th March 2020
Sample: 1,012 UK healthcare professionals



| Total | Age | | | |
|-------|----------|----------|----------|------|
| | 18 to 34 | 35 to 44 | 45 to 54 | 55 + |
| | AJ | AK | AL | AM |

How often, if ever, do patients disagree with you on the following?

A diagnosis you have made of them

| | | | | | |
|-------------------------|-----|-----------|-----------|-----|-----|
| Unweighted base | 849 | 120 | 180 | 243 | 306 |
| Base | 846 | 119 | 179 | 241 | 306 |
| Often | 3% | 3% | 3% | 3% | 4% |
| Sometimes | 18% | 24% AM | 22% AM | 16% | 15% |
| Rarely | 27% | 24% | 30% | 28% | 26% |
| Never | 6% | 5% | 6% | 5% | 7% |
| Don't know | 2% | 2% | 1% | 2% | 2% |
| Not applicable to me | 44% | 42% | 38% | 46% | 46% |
| Net: often or sometimes | 22% | 27% | 26% | 19% | 19% |

A prescription you have given them

| | | | | | |
|-------------------------|-----|-----|-----|-----|-----|
| Unweighted base | 849 | 120 | 180 | 243 | 306 |
| Base | 846 | 119 | 179 | 241 | 306 |
| Often | 2% | 2% | 3% | 1% | 3% |
| Sometimes | 10% | 15% | 10% | 9% | 10% |
| Rarely | 18% | 13% | 20% | 20% | 18% |
| Never | 7% | 7% | 7% | 8% | 7% |
| Don't know | 1% | 2% | 1% | 2% | 1% |
| Not applicable to me | 61% | 61% | 59% | 60% | 62% |
| Net: often or sometimes | 13% | 17% | 13% | 11% | 13% |

YouGov Results: Healthcare Professionals

Fieldwork Dates: 27th February - 16th March 2020

Sample: 1,012 UK healthcare professionals



| Total | Sector | | In the NHS how would you describe your occupational group? Hover over each for more detail. | | | | | | | | | | |
|-------|---------------------|----------------|---|--------------------|-----------|------------------------------------|--|--------------------------------|----------------------------------|-------------|--|--------------------------|--------------------------|
| | NHS (Public sector) | Private Sector | Allied Health Professionals / Healthcare Scientists / Scientific and | Medical and Dental | Ambulance | Public Health / Health Improvement | Commissioning managers / support staff | Registered Nurses and Midwives | Nursing or Healthcare Assistants | Social Care | Wider Healthcare Team (inc. admin & clinical HR) | Other General Management | Other occupational group |
| | A | B | C | D | E | F | G | H | I | J | K | L | M |
| 849 | 606 | 243 | 141 | 56 | 15 | 6 | 5 | 194 | 56 | 5 | 103 | 11 | 14 |
| 846 | 604 | 241 | 143 | 54 | 16 | 5 | 4 | 199 | 46 | 4 | 108 | 10 | 14 |
| 4% | 4% | 4% | - | 2% | 7% | 17% | - | 6% | 14% | - | 2% | - | - |
| | | | * | ** | ** | ** | ** | C | C.D.H.K* | ** | | ** | ** |
| 25% | 25% | 25% | 24% K | 34% K* | 20% ** | 17% ** | - ** | 35% C.K | 27% K* | - ** | 9% | 9% ** | 21% ** |
| 28% | 27% | 29% | 28% K | 43% C.K* | 33% ** | 17% ** | - ** | 37% K | 29% K* | 40% ** | 5% | 9% ** | 7% ** |
| 6% | 6% | 6% | 8% D.K | - * | 7% ** | - ** | 20% ** | 8% D.K | 11% D.K* | - ** | 1% | - ** | 7% ** |
| 2% | 2% | 2% | 2% * | 4% ** | - ** | - ** | - ** | 2% * | 2% * | 20% ** | 1% | - ** | - ** |
| 35% | 36% | 34% | 38% D.H.I | 18% * | 33% ** | 50% ** | 80% ** | 13% | 18% * | 40% ** | 83% C.D.H.I | 82% ** | 64% ** |
| 29% | 29% | 29% | 24% K | 36% K* | 27% ** | 33% ** | - ** | 41% C.K | 41% C.K* | - ** | 11% | 9% ** | 21% ** |

Cell Contents (Column Percentages, Statistical Test Results), Statistics (Column Proportions, (95%): A/B, C/D/E/F/G/H/I/J/K/L/M, N/O/P/Q/R/S/T, U/V, W/X/Y, Z/AA, AB/AC/AD/AE/AF/AG/AH/AI, AJ/AK/AL/AM, Minimum Base: 30 (**), Small Bas

YouGov Results: Healthcare Professionals

Fieldwork Dates: 27th February - 16th March 2020

Sample: 1,012 UK healthcare professionals



| Total | Organisation type 1 | | | | | | | Role | |
|-------|---------------------|--------------------------|---------------------------|-------------------------------|-----------|--------------------------------------|-------|----------------|---------------------|
| | NHS hospital | Private hospital/ clinic | GP surgery/ health centre | Mental health trust / service | Care home | Community services / Local Authority | Other | Patient facing | Non- Patient facing |
| | N | O | P | Q | R | S | T | U | V |

Medical advice you have given them

| | | | | | | | | | | |
|-------------------------|-----|-----|------|------|-----|----------|-------|-----|-----|----|
| Unweighted base | 849 | 359 | 63 | 83 | 68 | 46 | 102 | 128 | 849 | - |
| Base | 846 | 358 | 63 | 82 | 68 | 46 | 101 | 128 | 846 | - |
| Often | 4% | 4% | 5% | 4% | 3% | 7% | 6% | 2% | 4% | - |
| | | | * | * | * | * | | | | ** |
| Sometimes | 25% | 26% | 28% | 23% | 31% | 20% | 18% | 27% | 25% | - |
| | | | * | * | S* | * | | | | ** |
| Rarely | 28% | 24% | 30% | 21% | 33% | 17% | 38% | 34% | 28% | - |
| | | | * | * | * | * | N.P.R | N.R | | ** |
| Never | 6% | 6% | 10% | 6% | - | - | 7% | 9% | 6% | - |
| | | Q | Q.R* | Q* | * | * | Q | Q.R | | ** |
| Don't know | 2% | 2% | 3% | 2% | 1% | 4% | 2% | - | 2% | - |
| | | | T* | * | * | T* | | | | ** |
| Not applicable to me | 35% | 39% | 24% | 43% | 31% | 52% | 29% | 29% | 35% | - |
| | | O.T | * | O.T* | * | O.Q.S.T* | | | | ** |
| Net: often or sometimes | 29% | 30% | 33% | 27% | 34% | 26% | 24% | 29% | 29% | - |
| | | | * | * | * | * | | | | ** |

Cell Contents (Cø: 100 (%))

YouGov Results: Healthcare Professionals

Fieldwork Dates: 27th February - 16th March 2020
Sample: 1,012 UK healthcare professionals



Medical advice you have given them

| | Total | Tenure in current organisation | | | Gender | | Region | | | | | | | |
|-------------------------|-------|--------------------------------|------------|--------------------|--------|--------|--------|----------|------|---------|-------|-------|----------|------------------|
| | | Up to 5 years | 5-15 years | More than 15 years | Male | Female | North | Midlands | East | London | South | Wales | Scotland | Northern Ireland |
| | | W | X | Y | Z | AA | AB | AC | AD | AE | AF | AG | AH | AI |
| Unweighted base | 849 | 290 | 288 | 271 | 214 | 635 | 240 | 139 | 61 | 62 | 204 | 42 | 78 | 23 |
| Base | 846 | 287 | 289 | 270 | 212 | 634 | 239 | 139 | 60 | 61 | 203 | 42 | 79 | 22 |
| Often | 4% | 4% | 3% | 5% | 3% | 4% | 5% | 4% | 4% | 4% | 2% | 5% | 5% | 8% |
| Sometimes | 25% | 28% | 23% | 25% | 24% | 25% | 26% | 25% | 27% | 24% | 25% | 24% | 25% | 27% |
| | | | | | | | | | * | * | | * | * | ** |
| Rarely | 28% | 26% | 24% | 33% | 31% | 27% | 28% | 24% | 30% | 39% | 27% | 33% | 23% | 17% |
| | | | | X | | | | | * | AC, AH* | | * | * | ** |
| Never | 6% | 6% | 7% | 5% | 6% | 6% | 7% | 6% | 3% | 7% | 4% | 7% | 8% | 14% |
| | | | | | | | | | * | * | | * | * | ** |
| Don't know | 2% | 1% | 3% | 1% | 1% | 2% | 0% | 1% | 3% | 3% | 3% | - | 3% | 8% |
| | | | W | | | | | | AB* | AB* | AB | * | * | ** |
| Not applicable to me | 35% | 35% | 40% | 30% | 34% | 36% | 34% | 40% | 32% | 23% | 40% | 31% | 38% | 26% |
| | | | Y | | | | | AE | * | * | AE | * | * | ** |
| Net: often or sometimes | 29% | 32% | 26% | 30% | 28% | 30% | 30% | 29% | 32% | 29% | 27% | 29% | 29% | 35% |
| | | | | | | | | | * | * | | * | * | ** |

Cell Contents (C

YouGov Results: Healthcare Professionals

Fieldwork Dates: 27th February - 16th March 2020
Sample: 1,012 UK healthcare professionals



| Total | Age | | | |
|-------|----------|----------|----------|------|
| | 18 to 34 | 35 to 44 | 45 to 54 | 55 + |
| | AJ | AK | AL | AM |

Medical advice you have given them

| | | | | | |
|-------------------------|-----|-----|-----|-----|-----|
| Unweighted base | 849 | 120 | 180 | 243 | 306 |
| Base | 846 | 119 | 179 | 241 | 306 |
| Often | 4% | 2% | 6% | 2% | 5% |
| | | | AL | | AL |
| Sometimes | 25% | 30% | 28% | 29% | 18% |
| | | AM | AM | AM | |
| Rarely | 28% | 23% | 25% | 27% | 31% |
| Never | 6% | 6% | 7% | 6% | 6% |
| Don't know | 2% | 2% | 2% | 2% | 2% |
| Not applicable to me | 35% | 37% | 32% | 34% | 38% |
| Net: often or sometimes | 29% | 32% | 34% | 31% | 23% |
| | | | AM | | |

Cell Contents (C)